

PRODUCT DATASHEET DST STICK 18 W/865 E27

OSRAM DULUXSTAR® STICK | Compact fluorescent integrated, stick shape



Areas of application

- General illumination
- Domestic applications
- Wherever compact and efficient lamps are needed
- Wherever cold light colors are needed
- Outdoor use in enclosed and ventilated luminaires only

Product benefits

- Fast return on investment
- $-\,$ Up to 80 % less energy consumption compared with ordinary light bulbs

Product features

- Available in 2 light colors: 827 and 865
- Also available in activating light color LUMILUX® Cool Daylight
- Average life: up to 8,000 h



TECHNICAL DATA

Electrical data

Nominal wattage	18 W
Construction wattage	18.00 W
Nominal voltage	240 V
Nominal current	160 mA
Operating frequency	5060 Hz
Mains frequency	5060 Hz

Photometrical data

Luminous flux	950 lm
Light color (designation)	Daylight
Color temperature	6500 K
Color rendering index Ra	≥80
Light color	865

Dimensions & Weight

Overall length	154.00 mm
Diameter	45,0 mm
Product weight	70.00 g

Additional product data

Base (standard designation)	E27
Mercury content	1.8 mg
Mercury-free	No

Capabilities

Dimmable	No	
----------	----	--

Country-specific categorizations

Order reference	DSTAR 18W/865 2
Order reterence	DSTAN 1000/000 Z

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E27
Length	154.00 mm
Height	45,0 mm
Width	45,0 mm

Safety advice

- In case of lamp breakage: www.ledvance.com/brokenlamp
- Not for use with external dimmers or electronic switches.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321621641	Folding box 1	42 mm x 42 mm x 156 mm	82.00 g	0.28 dm ³
4052899416918	Shipping box 10	222 mm x 93 mm x 171 mm	903.00 g	3.53 dm ³
4008321621658	Shipping box 10	259 mm x 104 mm x 168 mm	1120.00 g	4.53 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.